







 Boundary



Boundary



Boundary

| Boundary 77.19 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CSR2	CPI	NCCPI	CAP
120D2	Tama silty clay loam, 9 to 14 percent slopes, eroded	23.61	30.59	62.0	0	84	3e
120C2	Tama silty clay loam, 5 to 9 percent slopes, eroded	12.14	15.73	87.0	0	88	3e
430	Ackmore silt loam, 0 to 2 percent slopes, occasionally flooded	10.26	13.29	70.0	0	91	2w
20D2	Killduff silty clay loam, 9 to 14 percent slopes, eroded	8.67	11.23	55.0	0	84	3e
8B	Judson silty clay loam, 2 to 5 percent slopes	7.09	9.19	84.0	0	76	2e
5B	Ackmore-Colo complex, 2 to 5 percent slopes	5.71	7.4	77.0	0	88	2w
M162D2	Downs silt loam, till plain, 9 to 14 percent slopes, eroded	3.83	4.96	57.0	0	81	4e
93D2	Shelby-Adair complex, 9 to 14 percent slopes, moderately eroded	3.24	4.2	35.0	0	72	3e
993E2	Gara-Armstrong loams, 14 to 18 percent slopes, moderately eroded	1.33	1.72	22.0	0	66	6e
M162E2	Downs silt loam, till plain, 14 to 18 percent slopes, eroded	1.09	1.41	45.0	0	77	4e
273B	Olmitz loam, 2 to 5 percent slopes	0.2	0.26	89.0	0	94	2e
M162C2	Downs silt loam, till plain, 5 to 9 percent slopes, eroded	0.02	0.03	82.0	0	85	3e
TOTALS		77.19(*)	100%	67.1	-	84.09	2.81

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability


								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water

L-2600001
Jasper County, Iowa, 114.25 AC +/-



 Boundary



 Boundary



Boundary

| Boundary 38.08 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CSR2	CPI	NCCPI	CAP
120D2	Tama silty clay loam, 9 to 14 percent slopes, eroded	14.14	37.13	62.0	0	84	3e
993E2	Gara-Armstrong loams, 14 to 18 percent slopes, moderately eroded	12.54	32.93	22.0	0	66	6e
5B	Ackmore-Colo complex, 2 to 5 percent slopes	5.26	13.81	77.0	0	88	2w
120C2	Tama silty clay loam, 5 to 9 percent slopes, eroded	5.21	13.68	87.0	0	88	3e
M162E2	Downs silt loam, till plain, 14 to 18 percent slopes, eroded	0.81	2.13	45.0	0	77	4e
120B	Tama silty clay loam, 2 to 5 percent slopes	0.12	0.32	95.0	0	96	2e
TOTALS		38.08(*)	100%	54.06	-	79.06	3.87

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability



								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water

Mountain Prairie Cem



 Boundary