





Farm #21977 Kiwi Farms, LLC Boone County, Iowa Latitude: 42.0483°N Longitude: -94.0331°W Imagery Source: USDA NAIP Soil Data Source: USDA NRCS Boundaries Are Approximate







Boone County, Iowa, 74.4 AC +/-





| Boundary 74.4 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CSR2 | CAP |
|-----------|---|-------|-------|-------|------|
| L138B | Clarion loam, Bemis moraine, 2 to 6 percent slopes | 22.8 | 30.68 | 88 | 2e |
| 6 | Okoboji silty clay loam, 0 to 1 percent slopes | 0.4 | 0.54 | 59 | 3w |
| L55 | Nicollet loam, 1 to 3 percent slopes | 6.2 | 8.27 | 91 | 1 |
| L107 | Webster clay loam, Bemis moraine, 0 to 2 percent slopes | 7.4 | 10.0 | 88 | 2w |
| L138C2 | Clarion loam, Bemis moraine, 6 to 10 percent slopes, moderately eroded | 1.2 | 1.61 | 83 | 3e |
| L138C | Clarion loam, Bemis moraine, 6 to 10 percent slopes | 0.5 | 0.67 | 84 | 3e |
| 27C | Terril loam, 5 to 9 percent slopes | 2.3 | 3.06 | 85 | 3e |
| 138D2 | Clarion loam, 9 to 14 percent slopes, moderately eroded | 9.9 | 13.35 | 56 | 3e |
| 485B | Spillville loam, 2 to 5 percent slopes | 4.4 | 5.86 | 88 | 2e |
| 135 | Coland clay loam, 0 to 2 percent slopes, occasionally flooded | 8.5 | 11.45 | 76 | 2w |
| L95 | Harps clay loam, Bemis moraine, 0 to 2 percent slopes | 0.9 | 1.23 | 75 | 2w |
| L62D2 | Storden loam, Bemis moraine, 10 to 16 percent slopes, moderately eroded | 2.1 | 2.76 | 41 | 4e |
| 507 | Canisteo clay loam, 0 to 2 percent slopes | 7.8 | 10.52 | 84 | 2w |
| TOTALS | | 74.4 | 100% | 80.37 | 2.16 |

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

| Land, Capability | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 'Wild Life' | • | • | • | • | • | • | • | • |
| Forestry | • | • | • | • | • | • | • | |
| Limited | • | • | • | • | • | • | • | |
| Moderate | • | • | • | • | • | • | | |
| Intense | • | • | • | • | • | | | |
| Limited | • | • | • | • | | | | |
| Moderate | • | • | • | | | | | |
| Intense | • | • | | | | | | |
| Very Intense | • | | | | | | | |

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water

