# A22483

White County, Indiana, 319.33 AC +/-




Boundary

**A22483**

White County, Indiana, 319.33 AC +/-




Boundary

# A22483

White County, Indiana, 319.33 AC +/-




Boundary

| Boundary 81.09 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|---|---|---|---|---|---|---|
| Gf | Gilford fine sandy loam, 0 to 2 percent slopes | 65.74 | 81.06 | 0 | 63 | 2w |
| Se | Seafield fine sandy loam | 12.27 | 15.13 | 0 | 66 | 2w |
| BmA | Brems loamy fine sand, 0 to 2 percent slopes | 1.85 | 2.28 | 0 | 29 | 4s |
| OaA | Oakville fine sand, wet substratum, 0 to 3 percent slopes | 0.72 | 0.89 | 0 | 29 | 4s |
| Sf | Seafield Variant fine sandy loam | 0.51 | 0.63 | 0 | 65 | 2w |
| TOTALS | | 81.09(*) | 100% | - | 62.38 | 2.06 |

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

# A22483

White County, Indiana, 319.33 AC +/-




Boundary

## | Boundary 82.1 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|---|---|---|---|---|---|---|
| Gf | Gilford fine sandy loam, 0 to 2 percent slopes | 44.84 | 54.62 | 0 | 63 | 2w |
| Se | Seafield fine sandy loam | 24.55 | 29.9 | 0 | 66 | 2w |
| ChB | Chelsea fine sand, 2 to 6 percent slopes | 7.06 | 8.6 | 0 | 51 | 4s |
| Sf | Seafield Variant fine sandy loam | 2.08 | 2.53 | 0 | 65 | 2w |
| OaA | Oakville fine sand, wet substratum, 0 to 3 percent slopes | 1.82 | 2.22 | 0 | 29 | 4s |
| Mr | Morocco fine sand | 1.75 | 2.13 | 0 | 29 | 4s |
| TOTALS | | 82.1(*) | 100% | - | 61.44 | 2.26 |

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

# A22483

White County, Indiana, 319.33 AC +/-




Boundary

| Boundary 159.09 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|---|---|---|---|---|---|---|
| Rm | Rensselaer Variant loam | 67.39 | 42.37 | 0 | 71 | 2w |
| Gf | Gilford fine sandy loam, 0 to 2 percent slopes | 40.71 | 25.59 | 0 | 63 | 2w |
| Mr | Morocco fine sand | 12.17 | 7.65 | 0 | 29 | 4s |
| ChC | Chelsea fine sand, 6 to 12 percent slopes | 9.76 | 6.14 | 0 | 50 | 6s |
| AsA | Alvin fine sandy loam, 0 to 2 percent slopes | 7.9 | 4.97 | 0 | 70 | 2s |
| Se | Seafield fine sandy loam | 7.83 | 4.92 | 0 | 66 | 2w |
| ChB | Chelsea fine sand, 2 to 6 percent slopes | 7.81 | 4.91 | 0 | 51 | 4s |
| BmA | Brems loamy fine sand, 0 to 2 percent slopes | 3.77 | 2.37 | 0 | 29 | 4s |
| OaA | Oakville fine sand, wet substratum, 0 to 3 percent slopes | 1.75 | 1.1 | 0 | 29 | 4s |
| TOTALS | | 159.09(*) | 100% | - | 61.73 | 2.57 |

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

**A22483**

White County, Indiana, 319.33 AC +/-




Boundary