



 Boundary



 Boundary



 Boundary

 Boundary 39.86 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CSR2	CPI	NCCPI	CAP
6	Okoboji silty clay loam, 0 to 1 percent slopes	12.69	31.83	59.0	0	76	3w
507	Canisteo clay loam, 0 to 2 percent slopes	11.84	29.7	84.0	0	82	2w
55	Nicollet clay loam, 1 to 3 percent slopes	5.32	13.34	89.0	0	81	1
95	Harps clay loam, 0 to 2 percent slopes	4.74	11.89	72.0	0	82	2w
138C2	Clarion loam, 6 to 10 percent slopes, moderately eroded	1.73	4.34	83.0	0	69	3e
638D2	Omsrud-Storden complex, 10 to 16 percent slopes, moderately eroded	1.31	3.29	53.0	0	65	4e
655	Crippin loam, 1 to 3 percent slopes	1.3	3.26	91.0	0	87	1
138B	Clarion loam, 2 to 6 percent slopes	0.73	1.83	89.0	0	83	2e
638C2	Clarion-Storden complex, 6 to 10 percent slopes, moderately eroded	0.2	0.5	75.0	0	68	3e
TOTALS		39.86(*)	100%	74.48	-	78.92	2.27









(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users


Land, Capability

								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water



 Boundary