



3000

4000ft

1000

2000


Dallas County, Iowa, 225.15 AC +/-







Boundary





mapbox

400

600


800ft

200


| Boundary 78.4 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CSR2 | CPI | NCCPI | CAP |
|-----------|--|-------------|-------|-------|-----|-------|-----|
| L138B | Clarion loam, Bemis moraine, 2 to 6 percent slopes | 36.06 | 45.99 | 88.0 | 0 | 80 | 2e |
| L507 | Canisteo clay loam, Bemis moraine, 0 to 2 percent slopes | 9.29 | 11.85 | 87.0 | 0 | 81 | 2w |
| 138D2 | Clarion loam, 9 to 14 percent slopes, moderately eroded | 9.18 | 11.71 | 54.0 | 0 | 71 | 3e |
| 201B | Coland-Terril complex, 2 to 5 percent slopes | 7.28 | 9.28 | 74.0 | 0 | 89 | 2w |
| L55 | Nicollet loam, 1 to 3 percent slopes | 6.3 | 8.03 | 91.0 | 0 | 85 | 1 |
| L107 | Webster clay loam, Bemis moraine, 0 to 2 percent slopes | 5.38 | 6.86 | 88.0 | 0 | 84 | 2w |
| L138C2 | Clarion loam, Bemis moraine, 6 to 10 percent slopes, moderately eroded | 4.91 | 6.26 | 83.0 | 0 | 62 | 3e |
| TOTALS | | 78.4(*) | 100% | 82.52 | - | 79.44 | 2.1 |

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.



Dallas County, Iowa, 225.15 AC +/-





Boundary

Dallas County, Iowa, 225.15 AC +/-





| Boundary 141.41 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CSR2 | CPI | NCCPI | CAP |
|-----------|--|---------------|-------|-------|-----|-------|------|
| L138B | Clarion loam, Bemis moraine, 2 to 6 percent slopes | 52.72 | 37.28 | 88.0 | 0 | 80 | 2e |
| L507 | Canisteo clay loam, Bemis moraine, 0 to 2 percent slopes | 39.77 | 28.12 | 87.0 | 0 | 81 | 2w |
| L107 | Webster clay loam, Bemis moraine, 0 to 2 percent slopes | 27.11 | 19.17 | 88.0 | 0 | 84 | 2w |
| L55 | Nicollet loam, 1 to 3 percent slopes | 18.84 | 13.32 | 91.0 | 0 | 85 | 1 |
| 6 | Okoboji silty clay loam, 0 to 1 percent slopes | 1.61 | 1.14 | 59.0 | 0 | 76 | 3w |
| L95 | Harps clay loam, Bemis moraine, 0 to 2 percent slopes | 1.36 | 0.96 | 75.0 | 0 | 81 | 2w |
| TOTALS | | 141.4 1(*) | 100% | 87.66 | - | 81.68 | 1.88 |

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.



Dallas County, Iowa, 225.15 AC +/-





Dallas County, Iowa, 225.15 AC +/-





Boundary 6.03 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CSR2 | CPI | NCCPI | CAP |
|-----------|--|--------|-------|-------|-----|-------|-----|
| L138B | Clarion loam, Bemis moraine, 2 to 6 percent slopes | 3.33 | 55.22 | 88.0 | 0 | 80 | 2e |
| L507 | Canisteo clay loam, Bemis moraine, 0 to 2 percent slopes | 2.7 | 44.78 | 87.0 | 0 | 81 | 2w |
| TOTALS | | 6.03(* | 100% | 87.55 | - | 80.45 | 2.0 |

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.



Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water

