






 Boundary



Boundary



Boundary



Boundary

 177.41 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CSR2	CPI	NCCPI	CAP
84	Clyde clay loam, 0 to 3 percent slopes	48.83	27.52	88.0	0	91	2w
471B	Oran loam, 2 to 5 percent slopes	28.7	16.18	74.0	0	80	1
83C	Kenyon loam, 5 to 9 percent slopes	26.02	14.67	85.0	0	88	3e
83B	Kenyon loam, 2 to 5 percent slopes	16.78	9.46	90.0	0	89	2e
198B	Floyd loam, 1 to 4 percent slopes	13.14	7.41	89.0	0	88	2w
83C2	Kenyon loam, 5 to 9 percent slopes, eroded	11.48	6.47	84.0	0	83	3e
391B	Clyde-Floyd complex, 1 to 4 percent slopes	9.05	5.1	87.0	0	89	2w
399	Readlyn silt loam, 1 to 3 percent slopes	8.51	4.8	91.0	0	80	1
471	Oran loam, 0 to 2 percent slopes	8.14	4.59	79.0	0	81	1
394B	Ostrander loam, 2 to 5 percent slopes	2.5	1.41	88.0	0	78	2e
472	Havana loam, 0 to 2 percent slopes	2.12	1.19	76.0	0	96	2w
783C	Cresco loam, 5 to 9 percent slopes	1.24	0.7	81.0	0	86	3e
797	Jameston silty clay loam, 0 to 2 percent slopes	0.82	0.46	73.0	0	89	2w
284B	Flagler sandy loam, 2 to 5 percent slopes	0.08	0.05	49.0	0	62	3e
TOTALS		177.4 1(*)	100%	84.7	-	86.58	1.96

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users


Land, Capability

								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							


Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water



 Boundary



Boundary

 121.84 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CSR2	CPI	NCCPI	CAP
797	Jameston silty clay loam, 0 to 2 percent slopes	35.08	28.79	73.0	0	89	2w
783C2	Cresco loam, 5 to 9 percent slopes, moderately eroded	24.47	20.08	78.0	0	81	3e
84	Clyde clay loam, 0 to 3 percent slopes	14.56	11.95	88.0	0	91	2w
798B	Protivin loam, 1 to 4 percent slopes	12.2	10.01	61.0	0	80	2e
83C	Kenyon loam, 5 to 9 percent slopes	9.55	7.84	85.0	0	88	3e
177B	Saude loam, 2 to 5 percent slopes	8.22	6.75	55.0	0	78	2s
626	Hayfield loam, 0 to 2 percent slopes, rarely flooded	4.8	3.94	53.0	0	81	2s
177	Saude loam, 0 to 2 percent slopes	3.86	3.17	60.0	0	79	2s
399	Readlyn silt loam, 1 to 3 percent slopes	1.83	1.5	91.0	0	80	1
198B	Floyd loam, 1 to 4 percent slopes	1.76	1.44	89.0	0	88	2w
585	Coland-Spillville complex, 0 to 2 percent slopes, occasionally flooded	1.47	1.21	70.0	0	77	2w
407B	Schley loam, 1 to 4 percent slopes	1.39	1.14	81.0	0	95	2w
83B	Kenyon loam, 2 to 5 percent slopes	1.37	1.12	90.0	0	89	2e
783B	Cresco loam, 2 to 5 percent slopes	1.28	1.05	73.0	0	76	2e
TOTALS		121.84(*)	100%	73.87	-	84.92	2.26

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users


Land, Capability

								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water



Boundary