


L-2300386


Kittson County, Minnesota, 240 AC +/-




 Boundary



0 500 1000 1500 2000ft

 Boundary



 Boundary

|  Boundary 239.34 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|--|-----------|-------|-------|-------|------|
| I134A | Hegne-Fargo silty clays, silty substratum, 0 to 1 percent slopes | 195.59 | 81.72 | 88 | 57 | 2w |
| I235A | Fargo silty clay, depressional, 0 to 1 percent slopes | 31.89 | 13.32 | 83 | 23 | 3w |
| I123A | Bearden-Colvin silty clay loams, 0 to 2 percent slopes | 6.55 | 2.74 | 91 | 62 | 2e |
| I248A | Wahpeton silty clay, 0 to 2 percent slopes, occasionally flooded | 4.59 | 1.92 | 84 | 55 | 2e |
| IWa | Water | 0.72 | 0.3 | 0 | - | - |
| TOTALS | | 239.34(*) | 100% | 87.07 | 52.4 | 2.13 |









(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users


Land, Capability


| |  |  |  |  |  |  |  |  |
|--------------|--|--|--|--|---|--|--|--|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 'Wild Life' | • | • | • | • | • | • | • | • |
| Forestry | • | • | • | • | • | • | • | |
| Limited | • | • | • | • | • | • | • | |
| Moderate | • | • | • | • | • | • | | |
| Intense | • | • | • | • | • | | | |
| Limited | • | • | • | • | | | | |
| Moderate | • | • | • | | | | | |
| Intense | • | • | | | | | | |
| Very Intense | • | | | | | | | |

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water



 Boundary