
L-2300531

South Dakota, 1078.6 AC +/-





South Dakota, 1078.6 AC +/-





Boundary



| Boundary 155.94 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
MIB	Millboro silty clay loam, 3 to 6 percent slopes	85.15	54.6	83	33	3e
MIA	Millboro silty clay loam, 0 to 3 percent slopes	42.44	27.21	89	32	3s
MnC	Boro-Millboro silty clays, 6 to 9 percent slopes	14.03	9.0	56	31	4e
Wt	Witten silty clay, 0 to 3 percent slopes	8.65	5.55	80	36	2s
MnB	Boro-Millboro silty clays, 3 to 6 percent slopes	5.67	3.64	68	31	3e
TOTALS		155.9 4(*)	100%	81.49	32.64	3.03


^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.



- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water

L-2300531

South Dakota, 1078.6 AC +/-





| Boundary 913.37 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
MIB	Millboro silty clay loam, 3 to 6 percent slopes		35.95	83	33	3e
SbE	Sansarc-Opal clays, 9 to 25 percent slopes	275.1 2	30.12	22	13	7e
OnD	Opal-Sansarc clays, 6 to 15% slopes	160.6 2	17.59	38	17	6e
SpE	Sansarc-Opal-Promise clays, 6 to 35 percent slopes	103.3 2	11.31	32	18	7e
MIA	Millboro silty clay loam, 0 to 3 percent slopes	21.28	2.33	89	32	3s
Но	Hoven silt loam	16.17	1.77	16	10	6s
OIB	Opal clay, 3 to 6 percent slopes	3.94	0.43	60	20	3e
W	Water		0.41	0	-	8
MnB	Boro-Millboro silty clays, 3 to 6 percent slopes	0.83	0.09	68	31	3e
TOTALS		913.3 7(*)	100%	49.45	21.84	5.26

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'				•	•	٠	•	*
Forestry	•	•	•	•	•	•	•	
Limited	٠	٠	•	٠	٠	٠	٠	
Moderate		•						
Intense				•				
Limited	•	٠		٠				
Moderate	*	٠	٠					
Intense		•						
Very Intense								

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water

L-2300531

South Dakota, 1078.6 AC +/-

