

Tiler: Bob Welte
 Richmond, Iowa
 Machine: Bucheye
 Installed: Oct. 1952


AUSTIN ELLYSON
 NW $\frac{1}{4}$ of sec. 19
 T-80N----R-4W

Map Record of INSTALLED TILE DRAINAGE SYSTEM			
U. S. DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE H. H. BENNETT, CHIEF			
REFERENCE: ...CEDAR CO., S.C.D. TIPTON, IOWA...			
CARTOGRAPHIC APPROVAL:		TECHNICAL APPROVAL: <i>George W. Tucker</i>	
COMPILED: <i>Beyer</i>	TRACED: <i>Beyer</i>	CHECKED: <i>J. Tucker</i>	DATE: 9-53
			DRAWING NO. L-36807



AUSTIN ELLYSON

NW $\frac{1}{4}$ of Sec. 19 Gower Twp.
T-80N
R-1W



Contractor : Jack Frederick
Machine : Parsons
Installed : Fall of 1960

Map record of
INSTALLED TILE DRAINAGE SYSTEM

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE
H. H. BENNETT, CHIEF

REFERENCE:
CEDAR CO. SCD TIPTON, IOWA

CARTOGRAPHIC APPROVAL: _____ TECHNICAL APPROVAL:
D. Williams

COMPILED: C. <i>Beyer</i>	TRACED: C. <i>Beyer</i>	CHECKED:	DATE 9-62	DRAWING NO. L-
---------------------------------	-------------------------------	----------	--------------	-------------------

UNITED STATES DEPARTMENT OF AGRICULTURE
Soil Conservation Service

Iowa-ENG-89 (Rev.)
May 1970

INSTALLATION REPORT &
LOCATION RECORD FOR DRAINS

County Cedar Date May 19 72

Farm Owner Austin Ellgren Tenant _____

1. Location of Farm (Legal Description): NW 1/4 Sec. 19, T 80N, R 34W

2. Outlet used for drain

a. Existing Tile _____ Size _____ Condition _____
Size _____ Condition _____

b. Open Ditch yes

New Metal Pipe Installed:

Size	Length	Discharge Height Above Normal Water Surface	Type of Rodent Control Gates
<u>6"</u>	<u>20'</u>	<u>1.5'</u>	<u>Internal flap</u>
			<u>Rods spaced</u>

3. Drainage materials were manufactured by:

Manufacturer	Sizes	Type & Quality*
<u>A. D. S.</u>	<u>5" x 4"</u>	<u>St.</u>

*Standard Quality, Extra Quality, Corrugated Plastic, etc.

4. Connections: Manufactured yes
Fitted & Cemented _____

5. I certify that I have installed the amounts of drains shown on the table and sketch on the reverse side of this sheet on this farm and to the best of my knowledge, they meet the requirements of the specifications set forth by ACP.

Contractor L W Dewey Date _____


I certify that the amounts of drains have been installed on my farm.

Landowner Austin Ellgren Date 6-30-1972

6. Installation Information:

Line No.	A	A1	A2	A3		
Size	5" x 4"	4"	5"	5"		
Length	1413' 5" 30' 4"	469'	390'	322'		
Acres Used for Design						
Drainage Coefficient						
Grade	1.5%	1%	2%	2%		
Max. Depth	42"	38"	40"	40"		
Min. Depth	36"	35"	37"	36"		
Trench Width	19"	19"	19"	19"		
Type of Bedding						

Location Sketch



North Remarks:


Show location, length, size, and spacing of laterals of the system installed.

Show center or corner of section.

TIL RAINAGE SYST IS

NAME Austin Ellyson DATE 6/1/72
S. C. D. Cedar T. 50N R. 4W SEC. 19

LOCATION MAP



SHOW SECTION CORNER OR CENTER

PRACTICE MEETS SPECS. WITH FOLLOWING EXCEPTIONS:

None

AMOUNTS ELIGIBLE FOR COST SHARING:

1499 of 4"

2125 of 5"

DATE 6/1/72 SIGNATURE [Signature]

TIL DRAINAGE SYSTEMS


NAME Austin C. Lyson DATE Oct. 28-60

S.C. DISTRICT Order

T. 8N R. 4W SEC. 19 T. Bayer

ACP NO. 256 SCS NO. 68 ϕ C. Lyson

LOCATION MAP



SHOW SECTION CORNER OR CENTER

THIS PRACTICE MEETS SPECIFICATIONS WITH THE FOLLOWING EXCEPTIONS: None

2577 FEET ARE ELIGIBLE FOR A.C.P. COST SHARING.

DATE Nov. 4-60 SIGNATURE Clarence Beep

TILE RAINAGE SYSTEMS


NAME AUSTIN ELLYSON DATE 4-25-62

S.C. DISTRICT CEDAR

T. 4W R. 20N SEC. 19 T. WILLIAMS

ACP NO. 2425 SCS NO. 69 ϕ ELLYSON

LOCATION MAP



SHOW SECTION CORNER OR CENTER

THIS PRACTICE MEETS SPECIFICATIONS WITH THE FOLLOWING EXCEPTIONS: NONE

110' 13.5' x 195' FEET ARE ELIGIBLE FOR A.C.P. COST SHARING.

DATE 4-25-62 SIGNATURE David A. Williams