Farmers National Company. L-2500237-IA Clinton County, Iowa, 1957 AC +/-133 (931) PERSHING RO (4) Maquoketa fairgraunds STATEHBYES W SUMMIT ST Buckhorn 6 **(41)** EXTH 1 DOTHET HOTHER. TRACT 2 DOWN (136) (134) 1 DESTRUCT (114) Elwood

DOTHER.



(134)

Boundary

maphox

(#B)

15000

20000ft

DODEST

10000


L-2500237-IA

Clinton County, Iowa, 1957 AC +/-





L-2500237-IA





600

800ft

400

| Boundary 47.85 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CSR2	CPI	NCCPI	CAP
163F3	Fayette silty clay loam, 18 to 25 percent slopes, severely eroded	20.53	42.92	12.0	0	58	7e
163D3	Fayette silty clay loam, 9 to 14 percent slopes, severely eroded	14.55	30.42	40.0	0	76	4e
129B	Arenzville-Chaseburg complex, 1 to 5 percent slopes	6.83	14.28	73.0	92	85	2w
499F	Nordness silt loam, 14 to 25 percent slopes	5.72	11.96	5.0	0	43	7s
163D2	Fayette silt loam, 9 to 14 percent slopes, moderately eroded	0.22	0.46	46.0	0	81	3e
TOTALS		47.85(*)	100%	28.55	13.14	65.67	5.36

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.



L-2500237-IA

Clinton County, Iowa, 1957 AC +/-





Boundary

| Boundary 249.16 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CSR2	CPI	NCCPI	CAP
163E3	Fayette silty clay loam, 14 to 18 percent slopes, severely eroded	52.96	21.26	29.0	0	72	6e
11B	Colo-Ely complex, 0 to 5 percent slopes	52.58	21.1	86.0	0	92	2w
163D2	Fayette silt loam, 9 to 14 percent slopes, moderately eroded	43.6	17.5	46.0	0	81	3e
162D2	Downs silt loam, 9 to 14 percent slopes, moderately eroded	43.29	17.38	54.0	0	81	3e
163C2	Fayette silt loam, 5 to 9 percent slopes, moderately eroded	24.24	9.73	72.0	0	84	3e
162C2	Downs silt loam, 5 to 9 percent slopes, moderately eroded	15.39	6.18	80.0	0	85	3e
933	Sawmill silty clay loam, shallow loess, 0 to 2 percent slopes, occasionally flooded	8.66	3.48	78.0	0	76	2w
163E2	Fayette silt loam, 14 to 18 percent slopes, moderately eroded	3.83	1.54	35.0	0	77	4e
179D2	Gara loam, 9 to 14 percent slopes, moderately eroded	3.3	1.32	45.0	0	69	4e
499F	Nordness silt loam, 14 to 25 percent slopes	1.22	0.49	5.0	0	43	7s
65F2	Lindley loam, 18 to 25 percent slopes, moderately eroded	0.09	0.04	11.0	0	56	7e
TOTALS		249.1 6(*)	100%	57.57	-	81.36	3.44

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend


Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability			30					
	1	2	3	4	5	6	7	8
'Wild Life'								*
Forestry	٠			٠	•	٠		
Limited		•						
Moderate								
Intense								
Limited								
Moderate								
Intense								
Very Intense								

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water



L-2500237-IAClinton County, Iowa, 1957 AC +/-







L-2500237-IA Clinton County, Iowa, 1957 AC +/-







Boundary

L-2500237-IA

Clinton County, Iowa, 1957 AC +/-







| Boundary 89.75 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CSR2	СРІ	NCCPI	CAP
163D2	Fayette silt loam, 9 to 14 percent slopes, moderately eroded	46.13	51.39	46.0	0	81	3e
163F3	Fayette silty clay loam, 18 to 25 percent slopes, severely eroded	22.07	24.59	12.0	0	58	7e
163E2	Fayette silt loam, 14 to 18 percent slopes, moderately eroded	12.46	13.88	35.0	0	77	4e
163E3	Fayette silty clay loam, 14 to 18 percent slopes, severely eroded	4.89	5.45	29.0	0	72	6e
499F	Nordness silt loam, 14 to 25 percent slopes	2.6	2.9	5.0	0	43	7s
163D3	Fayette silty clay loam, 9 to 14 percent slopes, severely eroded	0.71	0.79	40.0	0	76	4e
133+	Colo silt loam, 0 to 2 percent slopes, occasionally flooded, overwash	0.67	0.75	78.0	0	82	2w
142	Chaseburg silt loam, moderately well drained, 0 to 2 percent slopes	0.22	0.25	79.0	0	84	2w
TOTALS		89.75(*)	100%	34.27	-	73.16	4.4

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend


Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability			30					
	1	2	3	4	5	6	7	8
'Wild Life'								*
Forestry	٠			٠	•	٠		
Limited		•						
Moderate								
Intense								
Limited								
Moderate								
Intense								
Very Intense								

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water



L-2500237-IL Rock Island County, Mercer County, Henry County, Illinois, 1957 AC +/-





L-2500237-IL

Rock Island County, Mercer County, Henry County, Illinois, 1957 AC +/-






L-2500237-IL

Boundary

Rock Island County, Mercer County, Henry County, Illinois, 1957 AC +/-





| Boundary 226.81 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	PI	NCCPI	CAP
280gC2	Fayette silt loam, glaciated, 5 to 10 percent slopes, eroded	48.68	21.46	113	84	3e
3415A	Orion silt loam, 0 to 2 percent slopes, frequently flooded	41.51	18.3	118	89	3w
913D2	Marseilles-Hickory silt loams, 10 to 18 percent slopes, eroded	29.51	13.01	0	61	4e
913F	Marseilles-Hickory silt loams, 18 to 35 percent slopes	23.85	10.51	0	18	7e
913G	Marseilles-Hickory silt loams, 35 to 60 percent slopes	23.55	10.38	0	18	7e
280B	Fayette silt loam, glaciated, 2 to 5 percent slopes	18.96	8.36	120	89	2e
61A	Atterberry silt loam, 0 to 2 percent slopes	13.88	6.12	132	84	2w
960F	Hickory-Sylvan-Fayette silt loams, 18 to 30 percent slopes	8.31	3.66	0	20	6e
19D3	Sylvan silty clay loam, 10 to 18 percent slopes, severely eroded	6.22	2.74	87	68	4e
3074A	Radford silt loam, 0 to 2 percent slopes, frequently flooded	5.18	2.28	122	72	3w
675B	Greenbush silt loam, 2 to 5 percent slopes	3.89	1.71	131	91	2e
19C3	Sylvan silty clay loam, 5 to 10 percent slopes, severely eroded	1.74	0.77	95	76	4e
51A	Muscatune silt loam, 0 to 2 percent slopes	1.12	0.49	147	96	1
675A	Greenbush silt loam, 0 to 2 percent slopes	0.37	0.16	134	90	1
W	Water	0.04	0.02	0	1	8w
TOTALS		226.8 1(*)	100%	73.04	65.59	3.94

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend


Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability			30					
	1	2	3	4	5	6	7	8
'Wild Life'								*
Forestry	٠			٠	•	٠		
Limited		•						
Moderate								
Intense								
Limited								
Moderate								
Intense								
Very Intense								

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water



Farmers L-2500237-IL National Rock Island County, Mercer County, Henry County, Illinois, 1957 AC +/-///Company JUSTICANE. HISTH AVE TRACT 5 TRACT 6 DOOTH AVE SPRENCH AVE 1 1 1 NW 2ND ST WHANST EMANIST SE ATHET E IN 4DYST Aledo SW JRD ST 1 SE 3RD ST (17) SWX20VST EWATHER SE STREET BWITHST SWEDNEY. Contractly School District SWITTH ST. SWIETNET Mercer County SETHANE BOTHAVE




Boundary

mapbox

6000

8000ft

2000





Boundary

mapbox

400

600 800ft

L-2500237-IL







mapbox

400

600

800ft

| Boundary 85.51 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	PI	NCCPI	CAP
279B	Rozetta silt loam, 2 to 5 percent slopes	32.51	38.01	118	87	2e
8cD3	Hickory clay loam, cool mesic, 10 to 18 percent slopes, severely eroded	12.26	14.34	71	65	4e
19D3	Sylvan silty clay loam, 10 to 18 percent slopes, severely eroded	12.05	14.09	87	68	4e
280D3	Fayette silty clay loam, glaciated, 10 to 18 percent slopes, severely eroded	7.46	8.72	96	74	4e
913F	Marseilles-Hickory silt loams, 18 to 35 percent slopes	5.87	6.86	0	18	7e
962D3	Sylvan-Bold complex, 10 to 18 percent slopes, severely eroded	4.03	4.71	0	64	4e
957D3	Elco-Atlas silty clay loams, 10 to 18 percent slopes, severely eroded	3.85	4.5	0	56	6e
280gC2	Fayette silt loam, glaciated, 5 to 10 percent slopes, eroded	2.84	3.32	113	84	3e
134D3	Camden silty clay loam, 10 to 18 percent slopes, severely eroded	1.9	2.22	93	69	6e
8cD2	Hickory silt loam, cool mesic, 10 to 18 percent slopes, eroded	1.33	1.56	82	75	3e
675B	Greenbush silt loam, 2 to 5 percent slopes	0.52	0.61	131	91	2e
675C2	Greenbush silt loam, 5 to 10 percent slopes, eroded	0.47	0.55	125	82	3e
430A	Raddle silt loam, 0 to 2 percent slopes	0.24	0.28	138	95	1
280gD2	Fayette silt loam, glaciated, 10 to 18 percent slopes, eroded	0.11	0.13	106	74	3e
898G	Hickory-Sylvan silt loams, 35 to 60 percent slopes	0.07	0.08	0	19	7e
TOTALS		85.51(*)	100%	84.77	72.07	3.51

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability			30					
	1	2	3	4	5	6	7	8
'Wild Life'								*
Forestry	٠			٠	•	٠		
Limited		•						
Moderate								
Intense								
Limited								
Moderate								
Intense								
Very Intense								

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water

L-2500237-IL



BOOK



mapbox

400

200

600


800ft

| Boundary 77.41 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	PI	NCCPI	CAP
913F	Marseilles-Hickory silt loams, 18 to 35 percent slopes	35.05	45.27	0	18	7e
280gC2	Fayette silt loam, glaciated, 5 to 10 percent slopes, eroded	17.1	22.08	113	84	3e
279B	Rozetta silt loam, 2 to 5 percent slopes	10.19	13.16	118	87	2e
3415A	Orion silt loam, 0 to 2 percent slopes, frequently flooded	7.1	9.17	118	89	3w
898G	Hickory-Sylvan silt loams, 35 to 60 percent slopes	3.11	4.02	0	19	7e
8cF	Hickory silt loam, cool mesic, 18 to 35 percent slopes	2.43	3.14	68	20	6e
280gD2	Fayette silt loam, glaciated, 10 to 18 percent slopes, eroded	1.3	1.68	106	74	3e
675C2	Greenbush silt loam, 5 to 10 percent slopes, eroded	1.07	1.38	125	82	3e
430A	Raddle silt loam, 0 to 2 percent slopes	0.06	0.08	138	95	1
TOTALS		77.41(*)	100%	57.05	50.15	4.93

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.





L-2500237-IL Rock Island County, Mercer County, Henry County, Illinois, 1957 AC +/-








L-2500237-IL

Rock Island County, Mercer County, Henry County, Illinois, 1957 AC +/-





L-2500237-IL

Rock Island County, Mercer County, Henry County, Illinois, 1957 AC +/-





Boundary

| Boundary 163.69 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	PI	NCCPI	CAP
8cF	Hickory silt loam, cool mesic, 18 to 35 percent slopes	37.08	22.65	68	20	6e
51A	Muscatune silt loam, 0 to 2 percent slopes	37	22.61	147	96	1
957D3	Elco-Atlas silty clay loams, 10 to 18 percent slopes, severely eroded	24.68	15.08	0	56	6e
279C3	Rozetta silty clay loam, 5 to 10 percent slopes, severely eroded	17.61	10.76	102	77	4e
675B	Greenbush silt loam, 2 to 5 percent slopes	15.05	9.19	131	91	2e
3074A	Radford silt loam, 0 to 2 percent slopes, frequently flooded	14.24	8.7	122	72	3w
8cF3	Hickory clay loam, cool mesic, 18 to 35 percent slopes, severely eroded	7.89	4.82	54	16	6e
280D3	Fayette silty clay loam, glaciated, 10 to 18 percent slopes, severely eroded	4.49	2.74	96	74	4e
8cD2	Hickory silt loam, cool mesic, 10 to 18 percent slopes, eroded	2.1	1.28	82	75	3e
19D3	Sylvan silty clay loam, 10 to 18 percent slopes, severely eroded	1.56	0.95	87	68	4e
86B	Osco silt loam, 2 to 5 percent slopes	1.14	0.7	138	92	2e
8cD3	Hickory clay loam, cool mesic, 10 to 18 percent slopes, severely eroded	0.73	0.45	71	65	4e
946D3	Hickory-Atlas complex, 10 to 18 percent slopes, severely eroded	0.12	0.07	0	56	4e
TOTALS		163.6 9(*)	100%	90.66	62.97	3.88

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability			30					
	1	2	3	4	5	6	7	8
'Wild Life'								*
Forestry	٠			٠	•	٠		
Limited		•						
Moderate								
Intense								
Limited								
Moderate								
Intense								
Very Intense								

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water

Farmers National Company. L-2500237-IL Rock Island County, Mercer County, Henry County, Illinois, 1957 AC +/-**BHD2** 19300 56B 675B 67502 675B 19000 CEE TRACT 8 867 280GD2 280CD2 20740 BUFUA 67502



mapbox

400

200

600 800ft

| Boundary 150.92 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	PI	NCCPI	CAP
8cF3	Hickory clay loam, cool mesic, 18 to 35 percent slopes, severely eroded	55.58	36.83	54	16	6e
3074A	Radford silt loam, 0 to 2 percent slopes, frequently flooded	29.72	19.69	122	72	3w
675B	Greenbush silt loam, 2 to 5 percent slopes	24.2	16.03	131	91	2e
19D3	Sylvan silty clay loam, 10 to 18 percent slopes, severely eroded	16.05	10.63	87	68	4e
280gD2	Fayette silt loam, glaciated, 10 to 18 percent slopes, eroded	7.48	4.96	106	74	3e
86B	Osco silt loam, 2 to 5 percent slopes	6.57	4.35	138	92	2e
8cD2	Hickory silt loam, cool mesic, 10 to 18 percent slopes, eroded	5.87	3.89	82	75	3e
675C2	Greenbush silt loam, 5 to 10 percent slopes, eroded	2.73	1.81	125	82	3e
8cF	Hickory silt loam, cool mesic, 18 to 35 percent slopes	1.9	1.26	68	20	6e
51A	Muscatune silt loam, 0 to 2 percent slopes	0.82	0.54	147	96	1
TOTALS		150.9 2(*)	100%	92.54	54.74	4.03

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend


Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'								
Forestry				٠	•	٠		
Limited								
Moderate								
Intense								
Limited								
Moderate								
Intense								
Very Intense								

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water




Farmers L-2500237-IL National Company Rock Island County, Mercer County, Henry County, Illinois, 1957 AC +/-





Rock Island County, Mercer County, Henry County, Illinois, 1957 AC +/-





Rock Island County, Mercer County, Henry County, Illinois, 1957 AC +/-







| Boundary 76.61 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	PI	NCCPI	CAP
8cF	Hickory silt loam, cool mesic, 18 to 35 percent slopes	21.74	28.38	68	20	6e
279B	Rozetta silt loam, 2 to 5 percent slopes	17.41	22.73	118	87	2e
280gC2	Fayette silt loam, glaciated, 5 to 10 percent slopes, eroded	12.88	16.81	113	84	3e
19D3	Sylvan silty clay loam, 10 to 18 percent slopes, severely eroded	9.09	11.87	87	68	4e
61A	Atterberry silt loam, 0 to 2 percent slopes	6.05	7.9	132	84	2w
898G	Hickory-Sylvan silt loams, 35 to 60 percent slopes	4.96	6.47	0	19	7e
280D3	Fayette silty clay loam, glaciated, 10 to 18 percent slopes, severely eroded	3.46	4.52	96	74	4e
51A	Muscatune silt loam, 0 to 2 percent slopes	0.68	0.89	147	96	1
8cF3	Hickory clay loam, cool mesic, 18 to 35 percent slopes, severely eroded	0.26	0.34	54	16	6e
280gD2	Fayette silt loam, glaciated, 10 to 18 percent slopes, eroded	0.08	0.1	106	74	3e
TOTALS		76.61(*)	100%	91.79	59.83	3.96

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend


Increased Limitations and Hazards


Decreased Adaptability and Freedom of Choice Users

Land, Capability			30					
	1	2	3	4	5	6	7	8
'Wild Life'								*
Forestry				٠	•	٠		
Limited								
Moderate								
Intense								
Limited								
Moderate								
Intense								
Very Intense								

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water








Boundary

mapbox

4000 6000 8000ft

Rock Island County, Mercer County, Henry County, Illinois, 1957 AC +/-





Rock Island County, Mercer County, Henry County, Illinois, 1957 AC +/-





| Boundary 291.29 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	PI	NCCPI	CAP
280gC2	Fayette silt loam, glaciated, 5 to 10 percent slopes, eroded	95.87	32.91	113	84	3e
8cD3	Hickory clay loam, cool mesic, 10 to 18 percent slopes, severely eroded	46.93	16.11	71	65	4e
675B	Greenbush silt loam, 2 to 5 percent slopes	46.27	15.89	131	91	2e
946D3	Hickory-Atlas complex, 10 to 18 percent slopes, severely eroded	27.78	9.54	0	56	4e
280gD2	Fayette silt loam, glaciated, 10 to 18 percent slopes, eroded	26.86	9.22	106	74	3e
3415A	Orion silt loam, 0 to 2 percent slopes, frequently flooded	24.19	8.31	118	89	3w
8cF2	Hickory silt loam, cool mesic, 18 to 35 percent slopes, eroded	23.39	8.03	63	19	6e
TOTALS		291.2 9(*)	100%	94.08	73.66	3.34

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.



Rock Island County, Mercer County, Henry County, Illinois, 1957 AC +/-





| Boundary 122.24 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	PI	NCCPI	CAP
280gD2	Fayette silt loam, glaciated, 10 to 18 percent slopes, eroded	33.1	27.08	106	74	3e
280gC2	Fayette silt loam, glaciated, 5 to 10 percent slopes, eroded	32.08	26.24	113	84	3e
3415A	Orion silt loam, 0 to 2 percent slopes, frequently flooded	25.96	21.24	118	89	3w
119D2	Elco silt loam, 10 to 18 percent slopes, eroded	12.89	10.54	97	52	3e
913D3	Marseilles-Hickory complex, 10 to 18 percent slopes, severely eroded	12.28	10.04	0	52	6e
675B	Greenbush silt loam, 2 to 5 percent slopes	3.23	2.64	131	91	2e
8cD3	Hickory clay loam, cool mesic, 10 to 18 percent slopes, severely eroded	1.35	1.1	71	65	4e
549D2	Marseilles silt loam, 10 to 18 percent slopes, eroded	0.55	0.45	88	45	4e
280B	Fayette silt loam, glaciated, 2 to 5 percent slopes	0.46	0.38	120	89	2e
8cD2	Hickory silt loam, cool mesic, 10 to 18 percent slopes, eroded	0.34	0.28	82	75	3e
TOTALS		122.2 4(*)	100%	98.96	75.55	3.29

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend


Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability			30					
	1	2	3	4	5	6	7	8
'Wild Life'								*
Forestry				٠	•	٠		
Limited								
Moderate								
Intense								
Limited								
Moderate								
Intense								
Very Intense								

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water



Rock Island County, Mercer County, Henry County, Illinois, 1957 AC +/-





Rock Island County, Mercer County, Henry County, Illinois, 1957 AC +/-





| Boundary 305.66 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	PI	NCCPI	CAP
8cD3	Hickory clay loam, cool mesic, 10 to 18 percent slopes, severely eroded	91.39	29.9	71	65	4e
280D3	Fayette silty clay loam, glaciated, 10 to 18 percent slopes, severely eroded	84.28	27.57	96	74	4e
280gC2	Fayette silt loam, glaciated, 5 to 10 percent slopes, eroded	37.39	12.23	113	84	3e
3415A	Orion silt loam, 0 to 2 percent slopes, frequently flooded	32.4	10.6	118	89	3w
280B	Fayette silt loam, glaciated, 2 to 5 percent slopes	25.57	8.37	120	89	2e
913F2	Marseilles-Hickory complex, 18 to 35 percent slopes, eroded	14.17	4.64	0	15	7e
19F	Sylvan silt loam, 18 to 35 percent slopes	9.82	3.21	80	19	6e
279B	Rozetta silt loam, 2 to 5 percent slopes	7.02	2.3	118	87	2e
675B	Greenbush silt loam, 2 to 5 percent slopes	1.64	0.54	131	91	2e
675C2	Greenbush silt loam, 5 to 10 percent slopes, eroded	1.07	0.35	125	82	3e
280gD2	Fayette silt loam, glaciated, 10 to 18 percent slopes, eroded	0.91	0.3	106	74	3e
TOTALS		305.6 6(*)	100%	90.8	71.29	3.74

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards


Decreased Adaptability and Freedom of Choice Users

Land, Capability			30					
	1	2	3	4	5	6	7	8
'Wild Life'								*
Forestry				٠	•	٠		
Limited								
Moderate								
Intense								
Limited								
Moderate								
Intense								
Very Intense								

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water

Rock Island County, Mercer County, Henry County, Illinois, 1957 AC +/-





| Boundary 87.6 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	PI	NCCPI	CAP
19D3	Sylvan silty clay loam, 10 to 18 percent slopes, severely eroded	44.01	50.24	87	68	4e
280gC2	Fayette silt loam, glaciated, 5 to 10 percent slopes, eroded	14.53	16.59	113	84	3e
3415A	Orion silt loam, 0 to 2 percent slopes, frequently flooded	6.78	7.74	118	89	3w
946D3	Hickory-Atlas complex, 10 to 18 percent slopes, severely eroded	6.65	7.59	0	56	4e
913D3	Marseilles-Hickory complex, 10 to 18 percent slopes, severely eroded	5.5	6.28	0	52	6e
8cD3	Hickory clay loam, cool mesic, 10 to 18 percent slopes, severely eroded	4.46	5.09	71	65	4e
279B	Rozetta silt loam, 2 to 5 percent slopes	4.38	5.0	118	87	2e
280gD2	Fayette silt loam, glaciated, 10 to 18 percent slopes, eroded	1.29	1.47	106	74	3e
TOTALS		87.6(*)	100%	82.66	71.25	3.77

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.



